

Directions to COPT's Corporate Headquarters:

Corporate Headquarters at 6711 Columbia Gateway Drive, Columbia

From I-95:

Take exit 41A-B, Route 175 West toward Columbia. Follow signs for Columbia Gateway Drive. Turn left at the second light into Gateway Exchange building complex. 6711 Columbia Gateway Drive is on the left.

From Route 29:

Take exit for Route 175 East. After third light, follow exit sign for Columbia Gateway Drive. Cross over Snowden River Parkway and take exit for Columbia Gateway Drive. Turn left at the second light into Gateway Exchange building complex. 6711 Columbia Gateway Drive is on the left.

Directions to COPT's Colorado Springs Regional Office:

Colorado Springs Regional Office at 10807 New Allegiance Drive, Colorado Springs

From Downtown Colorado Springs –

Take I-25 North to InterQuest Parkway exit. Take InterQuest Parkway East to New Allegiance Drive. Turn right onto New Allegiance Drive and take a left into the parking lot to 10807 New Allegiance Drive.

From Denver –

Take I-25 South to InterQuest Parkway exit. Take InterQuest Parkway East to New Allegiance Drive. Turn right onto New Allegiance Drive and take a left into the parking lot to 10807 New Allegiance Drive.

.